



EXPLANATION

[Description of map units is given in text]

r			
	MODALNE DEPOCITO (LATE DI EICTOCENE)		Deposits near Hood Lake (late Pleistocene)
	MORAINE DEPOSITS (LATE PLEISTOCENE)	hs	Sand deposits
	End-moraine deposits of the Elmendorf Moraine	hp	Sand deposits with peat at surface
eme	Deposits of the main phase	hd	Sand deposits that may thinly cover diamicton
emy	Deposits of a younger phase	bc	Bootlegger Cove Formation (late Pleistocene)
	Ground-moraine deposits of the Elmendorf Moraine	*bcc	Bootlegger Cove Formation that exhibits convoluted bedding
emg	Ground moraine deposits, undivided	200	
emh	Deposits with high relief		ALLUVIAL DEPOSITS (Holocene)
emd	Deposits in well-developed drumlins	al	Alluvial deposits along small streams and in low terraces
emk	Deposits that include some kame deposits	alf	Fine-grained deposits
kd	Knik diamicton (informal term), undivided		Fine-grained alluvial-fan deposits
*kdb	Knik diamicton that exhibits bedding	aff	Fine-grained and vial-lati deposits
	GLACIOALLUVIAL DEPOSITS OF THE ELMENDORF MORAINE (LATE PLEISTOCENE)	p	PEAT AND POND DEPOSITS (HOLOCENE AND LATE PLEISTOCENE)
1	Kame deposits		COLLUVIAL DEPOSITS (HOLOCENE AND LATE PLEISTOCENE)
ek	Kame deposits, undivided	CW	Colluvial deposits on valley and channel walls and along sea bluffs
ekh	Kame deposits that exhibit high relief	cl	Landslide deposits, undivided
ekc	Kame-channel deposits	clq	Landslide deposits that formed during the 1964 earthquake
ektt	Kame-terrace deposits near Tuomi Lake		
	Meltwater-channel and meltwater-fan deposits		ANTHROPOGENIC DEPOSITS (LATEST HOLOCENE)
ec	Channel deposits	f	Engineered fill
ecs	Sixmile Lake alluvial deposits		Engineered in
mvf	Mountain View glacioalluvial fan deposits		OTHER SYMBOLS
eo	Outwash-fan deposits		ContactWell located, approximate, inferred, or indefinite
eoy	Younger outwash-fan deposits		Contact Tren located, approximate, interred, or incommite
eoa	Advance outwash deposits		EscarpmentIndicates selected relatively prominent differences in
*eot	Advance outwash transitional to glacioestuarine deposits	T1111111	level between adjacent channel deposits; ticks on side of lower channel
			EskerSites where esker deposits might underlie deposits mapped at the
	ESTUARINE AND GLACIOESTUARINE DEPOSITS	<><><>	
	Modern intertidal deposits (latest Holocene)		surface; direction of transport unknown; only selected features shown
1	Deposits of the lower intertidal zone	S	Stratigraphic units exposed in sea bluffsShown in figure 3
iu	Deposits of the upper intertidal zone		
io	Older intertidal deposits (Holocene)	1	Stratigraphic location numberSite of measured section or other
	Deposits of the modern beach (latest Holocene)		detailed observation of stratigraphic units
ib	Deposits near Mule Creek (early Holocene and latest Pleistocene)	1	Radiocarbon localitySite of radiocarbon-dated stratigraphic unit;
TO A			dates listed in table 1
ms	Sand deposits		Anthropogenically disturbed areaExtraction or construction site of
mp	Sand deposits with peat at surface		undifferentiated cut and fill
md	Sand deposits that may thinly overlie diamicton		
*mc	Clayey silt and silty sand deposits		This report is preliminary and has not been reviewed
			for conformity with U.S. Geological Survey standards
			for combining with old. acordinated and action

for conformity with U.S. Geological Survey standards and stratigraphic nomenclature.

related

to the

Moraine